

Outlined below are some suggested standardized interventions for when hand hygiene (HH) compliance rates are lower than expected. Where compliance is in a lower range, consider recommended interventions in higher compliance ranges IN ADDITION TO those outlined for your specific category. Upon receiving the first monthly report of the quarter (i.e., January, April, July, October), review the report results and select a Moment to focus on with 2 interventions from the options provided. For the remainder of the quarter, continue to work on the interventions selected.

Hand Hygiene Moment	Interventions if HH Compliance is between 70 – 99%	Interventions if HH Compliance is between 45 – 69%		Interventions if HH Compliance is 44% or lower
Moment 1: Before initial patient/resident/client (PRC) or PRC environment contact	Consider incentive program Leadership rounds and acknowledging compliance	Ensure staff have completed the HH Learning Management System (LMS) in the past 2 years Discuss Moment 1 breaches: e.g., If a healthcare worker performs hand hygiene and then touches anything before touching the PRC, this is a missed Moment 1. This includes touching a part of themselves other than their hands, or any items in the healthcare environment, except touching a clean, sterile, or patient-dedicated equipment. See <u>4Moments-Examples.pdf (wrha.mb.ca)</u> for listed examples of each moment. Specific examples can also be added that might not be listed in the form, but noted in the setting. When is Moment 1 required?		Leadership rounds and role-modeling Encourage staff to voice HH concerns and report safety issues and observations Focus on HH in huddles Identify unit/area-specific hand hygiene champion Education re: patient/resident/client environment and healthcare environment
		Moment	Examples	Assess environment to ensure appropriate placement of HH dispensers and sinks Consider pocket bottles of alcohol-based hand rub (ABHR)
		Before touching a patient	Shaking hands, assisting a patient to move, allied health interventions, touching any medical device connected to the patient (e.g. intravenous line pump, urinary catheter)	
		Before any personal care activities that require physical contact	Bathing, dressing, brushing hair, putting on personal aids such as glasses	Visual cues (e.g., posters) posted and in key locations
		Before taking any non-invasive observations	Taking a pulse, blood pressure, oxygen saturation, temperature, chest auscultation, abdominal palpation, applying ECG electrodes, cardiotocography	Identify 1 or 2 key moments when staff can increase their HH and focus education, visual cues, and availability of HH Ask staff for their suggestions as to what would be helpful in reminding them about Moment 1, e.g., before taking a BP so could put a HH notice on the machine
		Before providing any non-invasive treatment	Applying oxygen mask or nasal cannula, fitting slings/braces, application or incontinence aids (including condom drainage), conducting an oral examination without using a sharp instrument (such as using a mirror probe), performing oral X-ray	



Hand Hygiene Standardized Interventions

Hand Hygiene Moment	Interventions if HH Compliance is between 70 – 99%	Interventions if HH Compliance is between 45 – 69%		Interventions if HH Compliance is 44% or lower
	Consider incentive program Leadership rounds and acknowledging compliance	Ensure staff have completed the HH Learning M Discuss Moment 2 breaches. See <u>4Moments-Ex</u> examples can also be added that might not be line When is Moment 2 required?	Leadership rounds and role-modeling Encourage staff to voice HH concerns and report safety issues and observations	
		Moment	Examples	Focus on HH in huddles
Moment 2: Before aseptic or clean procedure		Before inserting a needle into a patient's skin or into an invasive medical device connected to the patient	Venepuncture, blood glucose level, arterial blood gas, subcutaneous or intramuscular injections, intravenous line flush.	Identify unit/area-specific <u>hand hygiene</u> <u>champion</u>
		Before preparation and administration of any medications	Intravenous, subcutaneous, or intramuscular medication, nasogastric tube feeds, oral medication, percutaneous endoscopic gastrostomy feeds, eye drop instillation, suppository insertion, vaginal pessary, topical medication such as fluoride, topical anaestheric, local anesthetic or tooth mousse or restrative materials used for restoration procedure	Education re: patient/resident/ client environment and healthcare environment Assess environment to ensure appropriate placement of HH dispensers
		Before the preparation of an aseptic field	Dressing trolley set up for an aseptic procedure	and sinks
		Before the insertion of, or contact with, an invasive medical device	Procedures involving endotracheal tube, tracheostomy, nasopharyngeal airways, suctioning of airways, urinary catheter, colostomy/ileostomy, vascular access systems, invasive monitoring devices, wound drains, percutaneous endoscopic gastrostomy tubes, nasogastric tube, secretion aspiration	Consider pocket bottles of alcohol-based hand rub (ABHR) Visual cues (e.g., posters) posted and in key locations
		Before any assessment, treatment or patient care where contact is made with non-intact skin or mucous membranes or there is the likelihood of penetration of tissue or a cavity	Wound dressings, surgical procedures, digital rectal examination, invasive obstetric and gynecological examinations and procedures, digital assessment of newborn palate, invasive dental examinations, dental extractions, dental restoration	Ask staff for their suggestions as to what would be helpful in reminding them about Moment 2
		Before providing oral care and feeding	Feeding a patient (excluding feeding via nasogastric tube or percutaneous endoscopic gastrostomy), brushing teeth or dentures	



Hand Hygiene Standardized Interventions

Hand Hygiene Moment	Interventions if HH Compliance is between 70 – 99%	Interventions if HH Compliance is between 45 – 69%	Interventions if HH Compliance is 44% or lower
Moment 3: After body fluid exposure risk	Consider incentive program Leadership rounds and acknowledging compliance	Ensure staff have completed the HH LMS in the past 2 years Discuss Moment 3 breaches: e.g., After a procedure or body fluid exposure risk, nothing should be touched before the removal of gloves and the performance of hand hygiene. Touching the outside of a drain or drainage bag, even when the circuit is closed and not broken, is a body fluid exposure risk. See <u>4Moments-Examples.pdf (wrha.mb.ca)</u> for listed examples of each moment. Specific examples can also be added that might not be listed in the form, but noted in the setting. When is Moment 3 required? Moment Examples	Leadership rounds and role-modeling Encourage staff to voice HH concerns and report safety issues and observations Focus on HH in huddles
		After performing a procedure.After insertion of a needle into a patients' skin or an invasive medical device After administration of any medications given via an invasive medical device, preparation of a sterile field After administration of medications where there is direct contact with mucous membranes After insertion of, or disruption to, the circuit of an invasive medical device After any assessment, treatment, or patient care where contact is made with non-intact skin or mucous membranes or there is likelihood of penetration of tissue or cavity After preparation and administration of any medications or materials for any oral health/dental procedure	Identify unit/area-specific <u>hand hygiene</u> <u>champion</u> Education re: patient/resident/client environment and healthcare environment Assess environment to ensure appropriate placement of HH dispensers and sinks Consider pocket bottles of alcohol-based hand rub (ABHR)
		After a potential body fluid exposure. Contact with a used urinary bottle/bedpan. Contact with sputum either directly or indirectly via a cup or tissue . Contact with used specimen jars/pathology samples . Cleaning dentures . Cleaning spills of body fluids from patient surroundings . After touching the outside of a wound or chest drain or oral suction tubing . Contact with a used dental instrument or appliances . After touching surfaces that potentially contaminated with body fluid	Visual cues (e.g., posters) posted and in key locations Ask staff for their suggestions as to what would be helpful in reminding them about Moment 3
		Another e.g., a cleaner cleans up vomit on the floor, removes gloves and performs hand hygiene. These hand hygiene moments should be recorded as a correct Moment 3.	



Hand Hygiene Moment	Interventions if HH Compliance is between 70 – 99%	Interventions if HH Compliance is between 45 – 69%	Interventions if HH Compliance is 44% or lower
Moment 4: After PRC or PRC environment contact	Consider incentive program Leadership rounds and acknowledging compliance	Ensure staff have completed the HH LMS in the past 2 years Discuss Moment 4 breaches: e.g., a nurse touches an indwelling urinary catheter to check urine output (Moment 3), performs hand hygiene, records urine output on a patient's observation chart, which is kept at the patient's bed end (Moment 4), and then performs hand hygiene. These hand hygiene moments should be recorded as a correct Moment 3 and a correct Moment 4. See <u>4Moments-Examples.pdf (wrha.mb.ca)</u> for listed examples of each moment. Specific examples can also be added that might not be listed in the form, but noted in the setting. When is Moment 4 required? Moment Examples After a Moment 1, except if there has been exposure to body fluids After touching any items in the patient environment but the patient has not been touched while the healthcare worker was in the patient environment	 Leadership rounds and role-modeling Staff empowerment to voice HH concerns and report safety issues and observations Focus on HH in huddles Identify unit/area-specific hand hygiene champion Education re: patient/resident/client environment and healthcare environment Assess environment to ensure appropriate placement of HH dispensers and sinks Consider pocket bottles of alcohol-based hand rub (ABHR) Visual cues (e.g., posters) posted and in key locations Ask staff for their suggestions as to what would be helpful in reminding them about Moment 4