


Handling Deceased Bodies

Preparation

- **Ensure funeral home staff are notified and prepared to accept the deceased body**
- An Infection Control Professional is required to provide overall supervision of this process
- Ensure Waste Management is completed so the process can begin with empty blue drums in patient room and anteroom: [Waste Removal BLUE DRUM](#); [Waste Removal ANTEROOM](#)
- Notify Environmental Services of room and anteroom cleaning required and to prepare for the Nocospray process
- **Review this checklist** and consider all additional staff required to carry out the discharge process, including number of [Primary healthcare workers \(HCWs\)](#) required to safely roll and transfer the body. A minimum of 4 Primary's is required. Add 1 additional Primary per 100 pounds beyond 300 pounds
- Throughout the checklist, infection prevention and control (IP&C) approved disinfectant will be referred to as disinfectant
- Anteroom door is the door between the hallway and anteroom
- Patient room door is the door between the anteroom and patient room
- Glove hygiene process
 - Immerse gloved hands into basin and rub together in disinfectant without splashing
 - Pat gloves dry with disinfectant wipe(s)
- If a [Primary+](#) has soiled scrubs, proceed to the Soiled Scrubs Checklist as determined by the [Monitor](#) 
- Gather necessary equipment and supplies as listed below
- Equipment and/or tools needed:
 - Blue drum set up
 - Disinfectant wipes
 - Disinfectant solution
 - 2 glove hygiene basins
 - Black funeral body bag (1)
 - Stretcher (1)
 - Scissors
 - White hard board slider
 - Nocospray system
- Pre-packaged supply kit will include the following to bring into patient room:
 - 2 prepared body bags (throughout the checklist, these are referred to as inner bags)
 - Prepare inner body bags by folding prior to entry of patient room; fold the bag inside out to about $\frac{3}{4}$ of its length
 - 4 zip ties (large)
 - Waterproof tape
 - Blue pads
 - 4 Zorbi bag inserts
 - 1 Zorbi bag (bedpan size)
 - Occlusive dressings
 - Kerlix (medium size)

Handling Deceased Bodies

Legend

Primary(s) 1, 2, 3, 4+
Monitor 1 ♠
Monitor 2 ◇
Monitor 3 ϕ
Monitor 4 ⋈
Monitor 5 ♣
Assistant 1 Ω
Assistant 2 Σ
Environmental Services (EvS) Monitor ∇
EvS Aide ◆

Process:


1. EvS Monitor ∇	Considerations
Cleaning of Patient Room and Anteroom	
Direct EvS Aide ◆ to clean patient room and anteroom per HCPU Occupied Isolation Room Cleaning by Environmental Services checklist	Reduce bioburden in the environment
When cleaning is complete, doff per Doffing Primary PPE checklist and exit	Assistant 1 Ω to be ready to assist with doffing

2. Monitor 1 ♠	Considerations
Entering Room with Supplies	
Once all supplies are ready and checklist has been reviewed by team, Primary's+ don PPE, each with their assigned Monitor, following the Donning Primary PPE checklist	Monitor 1 ♠ will direct all Primary activities in the patient room while the other Monitors will observe their assigned Primary's for breaches
Monitor 3 ϕ to open and close the anteroom door for Primary's as they enter one at a time in steps below	
Primary 1+ <ul style="list-style-type: none"> Collect Nocospray system and enter anteroom 	
<ul style="list-style-type: none"> Stop on Assistant side disinfectant mat and place Nocospray system on top of supply cart; wait for anteroom door to close 	
<ul style="list-style-type: none"> Enter patient room; close door 	
Primary 2+ <ul style="list-style-type: none"> Collect pre-packaged supply kit and enter anteroom 	

Handling Deceased Bodies

Page 3 of 16


	<ul style="list-style-type: none"> Stop on Assistant side disinfectant mat and wait for anteroom door to close 	
	<ul style="list-style-type: none"> Enter patient room, close door and place pre-packaged supply kit on top of the supply cart 	
	<ul style="list-style-type: none"> Move supply cart to allow space at foot of the bed 	
	<p>Primary 3+</p> <ul style="list-style-type: none"> Collect a second glove hygiene basin, disinfectant solution, disinfectant wipes and enter anteroom 	Two glove hygiene stations required
	<ul style="list-style-type: none"> Stop on Assistant side disinfectant mat and wait for anteroom door to close 	
	<ul style="list-style-type: none"> Enter patient room and close door 	
	<ul style="list-style-type: none"> Set glove hygiene basin, disinfectant solution and disinfectant wipes down on patient bedside table 	Table has already been cleaned by EVS
	<ul style="list-style-type: none"> Position bedside table on opposite side of bed from the other glove hygiene basin set up so that there is a glove hygiene basin on each side of the bed 	
	<ul style="list-style-type: none"> Pour disinfectant solution into the glove hygiene basin and discard empty bottle 	
	<ul style="list-style-type: none"> Set disinfectant wipes next to glove hygiene basin 	
	<p>Primary 4+</p> <ul style="list-style-type: none"> Enter anteroom 	
	<ul style="list-style-type: none"> Stop on Assistant side disinfectant mat and wait for anteroom door to close 	
	<ul style="list-style-type: none"> Enter patient room and close door 	

3. Monitor 1♣	Considerations
Preparing the Deceased Body	
Primary 1+, 2+, 3+ and 4+	
Primary 1+ and 2+: Move to one side of the bed (as per diagram)	
Primary 3+ and 4+: Move to the opposite side of the bed (as per diagram)	
Position bed at waist height of the shortest Primary	
Remove footrest and headboard by lifting together and place against wall on floor	
Remove pillow if still on bed and discard in blue drum	
	<p>Monitor ♣ to assign tasks to appropriate Primary</p>


Handling Deceased Bodies

	Lower all side rails and unplug bed to prevent creating a tripping hazard	who is best positioned to complete the task
	Move bed away from head wall to allow additional room near head of bed	
	Leave medical devices (e.g., IVs, catheters, tubes) in place	
	Apply occlusive dressings over areas of body that may be at risk of leaking (puncture wounds, insertion sites of invasive lines, etc)	
	Perform glove hygiene (all)	
	To cover head	
	Primary 1+: Move to head of bed to support/lift head as required	
	Primary 4+: Hand Primary 3+ supplies as required	
	Primary 3+: Place a Zorbi wafer over the face	
	<ul style="list-style-type: none"> Then wrap the head with a blue pad, covering the face first and then back of the head 	
	<ul style="list-style-type: none"> Secure in place with full roll of Kerlix and tape with waterproof tape 	
	<ul style="list-style-type: none"> Place Zorbi bag over head and secure with the tie around the neck 	
	Primary 2+ and 4+: Place 2 Zorbi wafers within incontinence brief (front and bottom if possible)	Do not roll body when placing Zorbi wafers into incontinence brief
	Perform glove hygiene (all)	
	Wrap the body with the bed linen until entire body is covered	
	Perform glove hygiene (all)	
	Disinfect the exposed top surface and sides of the mattress with disinfectant wipes; discard wipes	
	Allow 1-minute contact time	
	Perform glove hygiene (all)	
Application of First Inner Body Bag		
	1. Primary 1+: <ul style="list-style-type: none"> Take the first pre-folded inner body bag and place the open end of the bag at the top of the body's head 	
	<ul style="list-style-type: none"> Slide bag down over the head until top of the head reaches the inside of the closed end of the bag 	

Handling Deceased Bodies

	<p>2. Primary 4+:</p> <ul style="list-style-type: none"> Stand at foot of bed, facing the body Using a wide base of support with one foot in front of the other, place each hand on both feet Firmly hold in place while bag is secured over body and assist with placing bag over the body's feet 	
	<p>3. Primary 2+ and 3+:</p> <ul style="list-style-type: none"> With one on each side of bed, stand facing head of bed Use a wide base of support, with one foot in front of the other. With hand closest to the body, palm face up, grasp the bottom bulk of the folded bag on each side With other hand palm facing down, grasp the top of the bulk of the folded bag and slide the folded portion of the bag down over the length of the body and over the feet Slowly and gently remove any additional air from body bag by rolling the sides of the bag inward and pressing down on top of the body bag Fold excess sides of bag material over top of body and secure with waterproof tape 	<p>Shift weight from front to back leg at the same time when unrolling bag</p> <p>Repeat until bag is completely unrolled</p> <p>Take care to prevent contamination of the exterior surface of the bag</p>
	<p>Primary 4+: Twist the end of the bag tight and hold it while Primary 2+ secures it with a zip tie</p>	
	<p>Primary 4+: Gooseneck the bag end and hold while Primary 2+ secures with second zip tie</p>	
	<p>Primary 4+: Wrap the waterproof tape several times around the goosenecked bag end</p>	
	<p>Perform glove hygiene (all)</p>	
	<p>Disinfect the external surfaces of the body bag with disinfectant wipes; discard wipes</p>	
	<p>Disinfect the exposed surfaces of the mattress, side of mattress, and all side rails with new disinfectant wipes for each surface; discard wipes</p>	
	<p>Perform glove hygiene (all)</p>	
<p>Surface Decontamination of First Inner Body Bag</p>		
	<p>Primary 1+ and 2+: Stand on one side of the bed to perform log roll</p>	
	<p>Primary 3+ and 4+: Stand on opposite side of the bed</p>	
	<ul style="list-style-type: none"> Primary 3+: Raise side rail 	

Handling Deceased Bodies


	<ul style="list-style-type: none"> Primary 1+: Grab bag with whole hand and place hands at body's shoulder and hip level 	
	<ul style="list-style-type: none"> Primary 2+: Grab bag with whole hand and place hands at body's hip and knee level 	
	<ul style="list-style-type: none"> Primary 1+ and 2+: Grip the body bag and shifting weight from back to front legs, turn the body away into side lying position 	Take care not to reach across the bed
	<ul style="list-style-type: none"> Primary 3+ and 4+: Receive body and maintain it in side lying position holding it at shoulder & hip and hip & knee respectively 	Primary 3+ and 4+ do not reach over to grab body
	<ul style="list-style-type: none"> Primary 1+ and 2+: <ul style="list-style-type: none"> Disinfect mattress surface with disinfectant wipes; discard Disinfect underside of the body bag with new disinfectant wipes; discard Allow 1-minute contact time 	
	Primary 3+ and 4+: Slowly return body to supine position and reposition body to centre of bed	
	Primary 3+: Lower side rails	
	Perform glove hygiene (all)	
	Disinfect top side of the body bag with disinfectant wipes; discard	
	Disinfect exposed bed surfaces and side rails with disinfectant wipes; discard	
	Allow 1-minute contact time	
	Perform glove hygiene (all)	
Repeat Surface Decontamination on the Opposite Side of the Body		
	Primary 1+ and 2+: Stand on one side of the bed	
	Primary 3+ and 4+: Stand on opposite side of the bed	
	<ul style="list-style-type: none"> Primary 1+: Raise side rail 	
	<ul style="list-style-type: none"> Primary 3+: Grab bag with whole hand and place hands at body's shoulder and hip level 	
	<ul style="list-style-type: none"> Primary 4+: Grab bag with whole hand and place hands at body's hip and knee level 	
	<ul style="list-style-type: none"> Primary 3+ and 4+: Grip the body bag and shifting weight from back to front legs, turn the body away into side lying position 	Take care not to reach across the bed

Handling Deceased Bodies


Page 7 of 16

	<ul style="list-style-type: none"> • Primary 1+ and 2+: Receive body and maintain it in side lying position holding it at shoulder & hip and hip & knee respectively 	Do not reach over to grab body
	<ul style="list-style-type: none"> • Primary 3+ and 4+: <ul style="list-style-type: none"> ○ Disinfect mattress surface with disinfectant wipes; discard ○ Disinfect underside of the body bag with new disinfectant wipes; discard ○ Allow 1-minute contact time 	
	Primary 1+ and 2+: Slowly return body to supine position and reposition body to centre of bed	
	Primary 1+: Lower siderails	
	Perform glove hygiene (all)	
	Disinfect top side of the body bag with disinfectant wipes; discard	
	Disinfect exposed bed surfaces and side rails with disinfectant wipes; discard	
	Allow 1-minute contact time	
	Perform glove hygiene (all)	Check in to see if any of the Primaries need a break
Application of Second Inner Body Bag		
	<ol style="list-style-type: none"> 1. Primary 2+: <ul style="list-style-type: none"> • Take the second pre-folded inner body bag and place the open end of the bag onto body's feet while Primary 1+ • Slide bag down until the feet reach the inside of the closed end of the bag 	
	<ol style="list-style-type: none"> 2. Primary 3+: <ul style="list-style-type: none"> • Stand at head of bed, facing the body • Using a wide base of support with one foot in front of the other, place hands on the top of the body's head • Firmly hold in place while bag is secured over body and assist with placing bag over the body's head 	<p>Shift weight from front to back leg at the same time when unrolling bag</p> <p>Repeat until bag is completely unrolled</p>

Handling Deceased Bodies

<p>3. Primary 1+ and 4+:</p> <ul style="list-style-type: none"> • With one on each side of bed, stand facing foot of bed • Use a wide base of support, with one foot in front of the other. With hand closest to the body, palm face up, grasp the bottom bulk of the folded bag on each side • With other hand palm facing down, grasp the top of the bulk of the folded bag and slide the folded portion of the bag down over the length of the body and over the head • Slowly and gently remove any additional air from body bag by rolling the sides of the bag inward and pressing down on top of the body bag • Fold excess sides of the bag material over top of body and secure with waterproof tape 	<p>Take care to prevent contamination of the exterior surface of the bag</p>
<p>Primary 3+: Twist the end of the bag tight and hold it while Primary 1+ secures it with a zip tie</p>	
<p>Primary 3+: Gooseneck the bag end and hold while Primary 1+ secures with second zip tie</p>	
<p>Primary 3+: Wrap the waterproof tape several times around the goosenecked bag end</p>	
<p>Perform glove hygiene one at a time (all)</p>	
<p>Disinfect the external surfaces of the body bag; discard wipes</p>	
<p>Disinfect the exposed surfaces of the mattress, side of mattress, and all side rails with new disinfectant wipes for each surface; discard wipes</p>	
<p>Perform glove hygiene (all)</p>	
<p>Surface Decontamination of Second Inner Body Bag</p>	
<p>Primary 1+ and 2+: Stand on one side of the bed</p>	
<p>Primary 3+ and 4+: Stand on opposite side of the bed</p>	
<ul style="list-style-type: none"> • Primary 3+: Raise side rails 	
<ul style="list-style-type: none"> • Primary 1+: Grab bag with whole hand and place hands at body's shoulder and hip level 	
<ul style="list-style-type: none"> • Primary 2+: Grab bag with whole hand and place hands at body's hip and knee level 	
<ul style="list-style-type: none"> • Primary 1+ and 2+: Grip the body bag and shifting weight from back to front legs, turn the body away into side lying position 	
<ul style="list-style-type: none"> • Primary 3+ and 4+: Receive the body and maintain it in side lying position holding it at shoulder & hip and hip & knee respectively 	<p>Primary 3 does not reach over to grab body</p>

Handling Deceased Bodies

	<ul style="list-style-type: none"> • Primary 1+ and 2+: <ul style="list-style-type: none"> ○ Disinfect mattress surface with disinfectant wipes; discard ○ Disinfect the underside of the body bag with new disinfectant wipes; discard ○ Allow 1-minute contact time 	
	<p>Primary 3+ and 4+: Slowly return body to supine position and reposition body to centre of bed</p>	
	<p>Primary 3+: Lower side rails</p>	
	<p>Perform glove hygiene (all)</p>	
	<p>Disinfect top side of the body bag with disinfectant wipes; discard</p>	
	<p>Disinfect exposed bed surfaces and side rails with disinfectant wipes; discard</p>	
	<p>Allow 1-minute contact time</p>	
	<p>Perform glove hygiene (all)</p>	
<p>Repeat Surface Decontamination on the Opposite Side of the Body</p>		
	<p>Primary 1+ and 2+: Stand on one side of the bed</p>	
	<p>Primary 3+ and 4+: Stand on opposite side of the bed</p>	
	<ul style="list-style-type: none"> • Primary 1+: Raise side rail 	
	<ul style="list-style-type: none"> • Primary 3+: Grab bag with whole hand and place hands at body's hip and knee level 	
	<ul style="list-style-type: none"> • Primary 4+: Grab bag with whole hand and place hands at body's hip and knee level 	
	<ul style="list-style-type: none"> • Primary 3+ and 4+: Grip the body bag and shifting weight from back to front legs, turn the body away into side lying position 	<p>Take care not to reach across the bed</p>
	<ul style="list-style-type: none"> • Primary 1+ and 2+: Receive body and maintain it in side lying position by holding int at shoulder & hip and hip & knee respectively 	<p>Do not reach over to grab body</p>
	<ul style="list-style-type: none"> • Primary 3+ and 4+: <ul style="list-style-type: none"> ○ Disinfect mattress surface with disinfectant wipes; discard ○ Disinfect the underside of the body bag with new disinfectant wipes; discard ○ Allow 1-minute contact time 	
	<p>Primary 1+ and 2+: Slowly return body to supine position and reposition body to centre of bed</p>	
	<p>Primary 1+:</p> <ul style="list-style-type: none"> • Perform glove hygiene (all) 	

Handling Deceased Bodies

Page 10 of 16

	<ul style="list-style-type: none"> Disinfect top side of the body bag with disinfectant wipes; discard Disinfect exposed bed surfaces and side rails with new disinfectant wipes; discard Allow 1-minute contact time Perform glove hygiene (all) 	
Positioning Body in Bed for Transfer		
	Unlock bed brakes	
	Together, push from head of bed to move the bed to the centre of the room so that the foot end of bed is facing the patient room door	
	Perform glove hygiene (all)	

4. Monitor 1♣		
Nocospray Set up		
	<p>Primary 1+: Disinfect door handle and plate with disinfectant wipe; discard wipe</p> <ul style="list-style-type: none"> Allow 1-minute contact time 	
	<p>Primary 2+: Disinfect top of supply cart with disinfectant wipe; discard wipe</p> <ul style="list-style-type: none"> Allow 1-minute contact time Open patient door to hold open position Retrieve Nocospray from supply cart in anteroom Re-enter patient room and set Nocospray system on top of supply cart Enter anteroom again and stop on Primary side disinfectant mat Push top green wall button to close patient room door and wait for Assistant 1Ω to enter for doffing 	
	<p>Primary 4+: Set up Nocospray system to ensure it is ready to go, but do not start it yet</p>	

5. Monitor 5♣		Considerations
Primaries Exit Patient Room		
	<p>Assistant 1Ω to enter anteroom in Assistant PPE to doff Primaries one at a time per Doffing Primary PPE checklist</p>	Assistant remains in anteroom to doff all 4 Primaries
	<p>Monitor 5♣ check in with Primary's and determine order in which they will exit</p>	
	<p>Primary 2+ (already in anteroom):</p> <ul style="list-style-type: none"> Doff PPE and exit anteroom 	Only 1 person shall exit patient room at a time to doff per checklist

Handling Deceased Bodies

<p>Primary 1+:</p> <ul style="list-style-type: none"> • Enter into anteroom • Doff PPE and exit anteroom 	<p>Staff are to take bathroom breaks, hydrate, and discuss movements prior to re-entering to complete removal of deceased body</p>
<p>Primary 3+:</p> <ul style="list-style-type: none"> • Enter into anteroom • Doff PPE and exit anteroom 	
<p>Primary 4+ (or last Primary+ to exit):</p> <ul style="list-style-type: none"> • Wait for the Monitor to signal for entry into the anteroom • Plug in Nocospray system • Set volume to 250 mL • Press start button and enter anteroom • Turn on the Nocospray system and enter the anteroom • Monitor to set timer for 15 minutes • Doff PPE as outlined in the PPE Doffing checklist and exit 	
<p>Assistant 1Ω</p> <ul style="list-style-type: none"> • Doff per Doffing Assistant PPE checklist and exit anteroom 	

6. EvS Monitor▽	Considerations
Anteroom Waste Removal	
<p>EvS Aide◇: Perform waste removal in the anteroom per Waste Removal Anteroom checklist</p>	<p>This can be done while Nocospray system is running in room. Ensure the patient room is not entered until Nocospray process is completed</p>

7. Monitor 5♣	Considerations
Preparing to Remove Body from Patient Room	
<p>Before proceeding with next steps, ensure the following:</p> <ol style="list-style-type: none"> 1. Nocospray Treatment is complete and it is safe to enter patient room 2. Funeral home staff have arrived and are ready with their stretcher 	
Preparation of stretcher in hallway	


Handling Deceased Bodies

Page 12 of 16

<p>Assistant 1Ω:</p> <ul style="list-style-type: none"> Retrieve stretcher and hardboard slider Place black funeral body bag open/unzipped on stretcher Place hardboard slider inside the black funeral body bag 	<p>A stretcher will be used as a bridge in the anteroom to transfer the body from the bed in the patient room to the funeral home stretcher in the hallway</p>
<p>Donning of PPE</p>	
<p>Primary 1+, 2+, 3+ and 4+: Don PPE, each with their assigned Monitor, following the Donning Primary PPE checklist</p> <ul style="list-style-type: none"> Enter into patient room to await further instructions 	<p>Assess number of Primary's required for transfer of patient onto stretcher in anteroom</p>
<p>Assistant 1Ω and Assistant 2 Σ don Assistant PPE with assigned Monitors following the Donning Assistant PPE checklist and remain in hallway</p>	

8. Monitor 1♠	Considerations
<p>Transfer of Body from Patient Room to Stretcher in Anteroom</p>	
<p>Monitor 5♣: Hold anteroom door open</p>	
<p>Assistant 1Ω:</p> <ul style="list-style-type: none"> Move the stretcher with open black funeral body bag and slider into the anteroom and stop when the end reaches the closed patient room door Enter anteroom and stand on one side of the stretcher 	<p>Note the stretcher will not completely fit in the anteroom.</p> <p>As air clearance has been achieved since patient deceased and an initial Nocospray treatment has been completed, both the anteroom door and patient room door may be open at the same time for the transfer of the body</p>
<p>Assistant 2 Σ:</p> <ul style="list-style-type: none"> Enter anteroom and stand on opposite side of stretcher across from Assistant 1Ω Assist with positioning stretcher end to be centered with the patient room door 	
<p>Primary 2+: Open the patient room door and place in hold open position</p>	
<p>Primary 1+: Unlock bed brakes and place into neutral position</p>	<p>To assist with bed maneuvering</p>
<p>Primary 1+, 2+, 3 and 4+:</p> <ul style="list-style-type: none"> Primary 1+ and 2+ stand on one side of the bed Primary 3+ and 4+ stand on the opposite side of the bed Move bed so that it is end to end with stretcher in anteroom to allow transfer of body onto stretcher 	
<p>Primary 1+: Apply bed brakes</p>	

Handling Deceased Bodies

<p>Assistant 1Ω and Assistant 2 Σ:</p> <ul style="list-style-type: none"> Adjust height of stretcher so that it is slightly lower than the bed and reposition stretcher to align with bed to allow safe transfer of body Apply brakes to stretcher Pass hardboard slider from the stretcher to the end of the bed 	
<p>Primary 1+, 2+, 3 and 4+:</p> <ul style="list-style-type: none"> Primary 1+ and 2+ stand on one side of the bed Primary 3+ and 4+ stand on the opposite side of the bed Primary 1+ grab bag at body's shoulder and hip level Primary 2+ grab bag at body's hip and knee level Primary 1+ and 2+ shift weight from back to front in order to turn body away into side lying position Primary 3+ and 4+ receive the body and maintain it in side lying position holding it at shoulder & hip and hip & knee respectively Primary 1+ obtain hardboard and place it under the patient Return body to supine position on top of the hardboard slider Primary 1+ and 3+ grab both handles on the side of the hardboard slider with both hands Primary 3+ position themselves at the head of the bed and push from the top of the hardboard Keep elbows close to side, shift weight from one foot to the other and transfer body onto the stretcher in the anteroom 	 <p>The diagram illustrates the four-person technique for transferring a body. Staff member 1 is at the head of the bed, 2 is at the foot, 3 is at the head of the stretcher, and 4 is at the foot. The body is being moved from the bed onto the stretcher.</p>
<p>Assistant 1Ω and Assistant 2 Σ:</p> <ul style="list-style-type: none"> Stand on either side of the bed with wide base of support, facing the patient room Grab both handles on the side of the hardboard slider with both hands Keep elbows close to side, shift weight from one foot to the other and transfer body into the black body bag 	
<p>Once the deceased body crosses the threshold between the anteroom and patient room, Assistant 1Ω and Assistant 2 Σ can assist to pull body on the slider board into the black body bag</p>	
<p>Assistant 1Ω and Assistant 2 Σ: Close zipper on black body bag, leaving slider under the body in the bag</p>	
<p>Primary 1+: Unlock brakes on bed into neutral position</p>	
<p>Primary 2+ and 3+: Move bed back to position in room and lock brakes</p>	
<p>Primary 1+, 2+, 3+ and 4+: Perform glove hygiene one at a time</p>	

Handling Deceased Bodies

Page 14 of 16

	Funeral home staff to position their stretcher in hallway with one end at the entrance of anteroom and align it with anteroom stretcher	
	Assistant 1Ω and Assistant 2 Σ: Reposition anteroom stretcher as needed and adjust height so that it is slightly higher than the funeral home stretcher	
	Lock brakes on both stretchers	
	<p>Assistant 1Ω and Assistant 2 Σ:</p> <ul style="list-style-type: none"> Facing funeral stretcher with a wide base of support, grasp handles on funeral home body bag Shift weight from one foot to the other and transfer body on to funeral home stretcher 	Funeral Home staff (Bardal) to move their stretcher away from the door once the body has been transferred
	<p>Once body is transferred:</p> <ul style="list-style-type: none"> Assistant 1Ω and Assistant 2 Σ: Unlock brakes on anteroom stretcher and push stretcher into patient room while staying inside anteroom Primary 2+ and 4+: Receive anteroom stretcher into patient room Primary 1+: Close patient door 	
	Monitor 5♣: Close anteroom door	
	Assistant 1Ω and Assistant 2 Σ: Perform glove hygiene in anteroom	

9. Monitor 5♣	Considerations
Doffing and Exiting of Staff	
Assistant 1Ω and Assistant 2 Σ	Only 1 person shall exit patient room at a time
Assistant 2 Σ: Stand on second Assistant disinfectant mat	
<p>Assistant 1Ω:</p> <ul style="list-style-type: none"> Stand on Assistant disinfectant mat and doff per Doffing Assistant PPE checklist Exit Anteroom 	
Assistant 2 Σ: Move to the first Assistant disinfectant mat to assist all Primaries with doffing per Doffing Primary PPE checklist	
<p>Primary 1+:</p> <ul style="list-style-type: none"> Enter anteroom and doff per PPE Doffing Checklist Exit anteroom 	Monitor 5♣ to assess how Primary's are doing and determine which order to exit

Handling Deceased Bodies

Page 15 of 16

<p>Primary 2+:</p> <ul style="list-style-type: none"> • Enter anteroom and doff per PPE Doffing Checklist • Exit anteroom 	
<p>Primary 3+:</p> <ul style="list-style-type: none"> • Enter anteroom and doff per PPE Doffing Checklist • Exit anteroom 	
<p>Primary 4+:</p> <ul style="list-style-type: none"> • Turn on the Nocospray system and enter the anteroom (Monitor to alert EvS to set timer) • Doff PPE per PPE Doffing Checklist • Exit anteroom 	
<p>Assistant 2 Σ: Doff per Doffing Assistant PPE checklist and exit anteroom</p>	

10. EvS Monitor ▾	Considerations
Anteroom Waste Removal	
<p>EvS Aide ♦: Perform waste removal in the anteroom per Waste Removal Anteroom checklist</p>	<p>This can be done while Nocospray system is running in room.</p> <p>Ensure the patient room is not entered until Nocospray process is complete</p>
Discharge Cleaning	
<p>Once Nocospray treatment is complete, proceed with HCPU Isolation Room Discharge Cleaning Checklist</p>	

Handling Deceased Bodies

APPENDIX A



Remove the nozzle (E) by releasing the lock (D).

Appuyer sur la détente (D) puis retirer la buse (E).



While keeping the bottle upright, screw the Nocospray bottle (H) into the Nocospray Bottle Connector (F).

Visser le connecteur de buse (F) sur une bouteille de Nocolyse (H), tout en prenant soin de garder la bouteille à la verticale.



Indicate the date on the Nocolyse bottle if it being used for the first time. *Discard the bottle 2 months after opening.

Dater la bouteille de Nocolyse si elle est neuve. *Jeter la bouteille 2 mois après la date d'ouverture indiquée.



Lock the nozzle and bottle onto the Nocospray. Listen for the "click" sound.

Remplacer la buse sur le Nocospray. Un « clic » se fera entendre.



Plug the power cable (A) into a ~ 120 V outlet.

Brancher le fil d'alimentation (A) dans une prise ~ 120 V seulement.



Calculate the volume of the room to be treated. (Length of room x width of room x height of room)(m³ or ft³)

Calculer le volume de la pièce à traiter (longueur x largeur x hauteur) (m³ ou pi³)




Set the Nocospray to the appropriate volume using the selector switch (K). The Nocospray can be set to a maximum of 500 m³. Refer to the table for spray time and solution use.

Régler le sélecteur de volume (K) du Nocospray. Le réglage maximal est de 500m³. Consulter le tableau pour les temps de traitement et la quantité de produit requise.



Press the Start button (L); a buzzer will sound for 15 seconds during which the room should be vacated.

Appuyer sur le bouton de marche (L). Un signal sonore se fera entendre durant 15 secondes. Toute personne présente dans la pièce doit en sortir avant la fin des 15 secondes.



Turn Nocospray on using the On/Off switch (B).

Appuyer sur l'interrupteur (B) pour mettre le Nocospray sous tension.




Note the start time and calculate when full contact time will end.

Noter l'heure de mise ne marche puis calculer l'heure de la fin du traitement.



Aim the nozzle (E) in the desired direction. (See reverse for aiming guidelines)

Placer le Nocospray afin d'orienter la buse (E) dans la direction voulue. Voir au verso pour plus de détails.



At the end of contact time re-enter room and switch off the Nocospray using switch (B).

À la fin du temps de traitement, entrer dans la pièce puis appuyer sur l'interrupteur (B) afin d'éteindre le Nocospray.