PHIMS COVID-19 CASE INVESTIGATION STEPS - CHEAT SHEET

- Check subject summary for any concurrent open investigations and close as appropriate. Eg. Close the contact investigation and change disposition to contact turned case.
- Update demographics (address, ph#, language)
- Set investigation in context > Investigation Quick Entry (IQE)
- Enter Race/Ethnicity
- Update client address at time of investigation (if needed)
- Enter sensitive occupation
- Select staging
- Enter Symptoms
- Enter Risk Factors
- Enter Exposures (Acquisition and Transmission exposures)
 - *Add contacts either via client identifiers or contact investigation ID
- ② Enter Interventions
 - *Covid Alert App
 - *Isolation: Home isolation (must click out to full features to end date)
 - *Status Assessment: Home isolation

To close case: [note this may be done at the Call Centres]

At end of isolation period:

- Ensure end date of isolation period is past. Update outcome of isolation intervention to "completed".
- Add status assessment of "recovered" or "fatal" and add start date.
- Close investigation.

PHIMS COVID-19 CONTACT INVESTIGATION STEPS - CHEAT SHEET

- Check subject summary for any concurrent open investigations and close as appropriate. Eg. Close the older contact investigation and change disposition to "concurrent contact investigation".
- Update demographics (address, Ph #)
- Set investigation in context > Investigation Quick Entry (IQE)
- Update client address at time of investigation (if needed)
- Enter sensitive occupation
- Enter Symptoms/Asymptomatic
- ? Review Exposures
- Determine incubation based on last exposure
- Enter Interventions
 - *COVID Alert App
 - *Isolation: Home isolation (must click out to full features to end date)
- ② Enter notes

Ensure Investigation Disposition has been updated as appropriate

To close contact:

At end of isolation period: [may be done at Call Centre]

- Ensure end date of isolation period is past. Update outcome of isolation intervention to "completed".
- Close investigation.