MEDICATION RECONCILIATION IN THE EMR

See <u>Policy No. 110.000.380 - Medication Reconciliation</u> to review the Medication Reconciliation expectations.

Access the Medication Reconciliation Form

- 1. Go to the EMR section
- 2. Open the Medications tab
- 3. Click on the Medication Reconciliation button

	Day Sheet Encounter Notes Chronic Conditions Virtual Chart Encounter Summary Medications
Home	Patient Digital01, Health01 v 41 years old male
7	eRx Status Medication SIG / Comme
Scheduler	Active Prescriptions
H	Continuous
Traffic	levothyroxine sodium 100 mcg Oral T
•	Short-Term
Patients	TYLENOL 500 MG TABLET
•	amoxicillin 250 mg Oral Capsule
E	External
Documents	LIPITOR 20 MG TABLET
\$	Administered Medications
Claims	Medication Reconciliation Patient Medication List Prescription Summary
â	Allergies
EMR	Allergy
	Drua Alleraies

Verify Medications - Obtain Best Possible Medication History

The first five columns in the form display details of the client's active prescriptions:

Medication	Dose	Use	Provider	SIG
Active Prescriptions				
salbutamol sulphate 200 mcg Inh		Continuous	Provider Test	1-2 inhalations 3-4 times daily
TYLENOL 500 MG TABLET	1 Tablet(s) Every 4 hours As Needed	Short term	Provider Test	
amoxicillin 250 mg Oral Capsule	1 Capsule(s) Every 8 hours	Short term	Provider Test	
levothyroxine sodium 100 mcg Or	1 Tablet(s) Once daily	Continuous	Provider Test	
External Prescriptions				
LIPITOR 20 MG TABLET		Short term		

These columns are for reference purposes—prescriptions cannot be altered using these fields.

The remaining columns are to be entered by the Health Care Provider completing the form:

Comments	Verified With	Verification Source	Verification Status	Verification Comments	Reason For Taking	Status
						Active
						Active
						Active
						Active

Note: The "Status" column will change automatically as prescriptions are updated.

Column Title	Column Type	Purpose
Comments	Free text	Record any general comments related to this prescription.
Verified With	Drop-down list	Specifies with whom the medication was verified.
Verification Source	Drop-down list	Specifies source of the verification. If there are multiple sources used,
		the provider completing the form should select the most
		reliable/trusted source.
Verification Status	Drop-down list	Specifies whether the medication was able to be verified or not. Any
		discrepancies here will be highlighted in red once the form is re-opened
		(form must be saved and closed first).
Verification Comments	Free text	Record any comments related to the verification of this prescription.
		This field should be used to identify any outstanding work that needs to
		be completed before the form can be marked as completed.
Reason for Taking	Free text	Record reason for taking the medication.
Status	Display only	Display new status if medication is updated within the form (i.e.
		Discontinued).

1. Double-click on any of the free text or drop-down fields to enter text/select an item from the list.

Note: Selecting "Taking as" from the "Verification Status" drop-down list will prompt the user to enter the new dosage. This action <u>does not</u> change the prescription itself. Its function is to auto-populate the "Verification Comments" field with the new dosage and display "Status" field as "Changed".

Taking as 1 ÷ 0 ÷ TAB ∨ QD ∨ for 1 ÷ Day ∨ Not taken Starting on 08/11/2021 □ PRN Taking as No Start Date Unable to verify ✓ Auto Calculate Quantity	Verification Status	Prescription Dosage	Х
	Taking as Not taken Taken as ordered Taking as Unable to verify Manage	1 → 0 → TAB Starting on 08/11/2021 PRN No Start Date ✓ ✓ Auto Calculate Quantity	QD → for 1 → Day →

2. Click Save and Close when finished.

Discrepancies identified by a Health Care Provider shall be communicated to the Most Responsible Prescriber for resolution. If the Health Care Provider completing the Best Possible Medication History is not the Most Responsible Prescriber, the form should be sent to the Most Responsible Prescriber via established processes.

Open an Incomplete Medication Reconciliation Form

- 1. Go to the EMR section
- 2. Open the Medications tab
- 3. Click on the Medication Reconciliation button

	Day Sheet En	counter Notes	Chronic Conditions	Virtual Chart	Encounter Summary	Ме	dications
Home	Patient Digita	101, Health01	~ 41	years old mal	e		
7	eRx Status	Medication		SIG		1	Comme
Scheduler	Active Prescrip	tions					
	Continuous						
Traffic		levothyroxine so	dium 100 mcg Oral	Т			
•	Short-Term						
Patients		TYLENOL 500 I	MG TABLET				
		amoxicillin 250	mg Oral Capsule				
Ē	External						
Documents	0	LIPITOR 20 MG	TABLET				
\$	Administered M	ledications					
Claims	Medication F	Reconciliation	Patient Medicati	on List I	Prescription Summary		🖶 Prir
A	Allergies						
Θ	Allergy						

Create new form Open existing form

Cancel

This will open the most recent incomplete form.

4.

Reconcile Medications - Medication Discrepancies

Discontinue/Manage a Prescription:

- 1. Select the medication from the list
- 2. Select either **Discontinue Prescription** or **Manage Prescription** at the bottom of the form

Medication Reconciliation						
Patient: Digital01, Health01 DOB: 01-Jan-1980 Gender: M						
Medication	Dose	Use	Provider	SIG	Comments	Verified Wi
Active Prescriptions						
levothyroxine sodium 112 mcg Ora	1 Tablet(s) Once daily	Continuous	Provider Test			
salbutamol sulphate 200 mcg inha		Continuous	Provider Test	1-2 inhalat		
TYLENOL 500 MG TABLET	1 Tablet(s) Every 4 hou	Short term	Provider Test			
amoxicillin 250 mg Oral Capsule	1 Capsule(s) Every 8 h	Short term	Provider Test			
External Prescriptions						
LIPITOR 20 MG TABLET		Short term				
Alleroy					Clinical Statu	
Drug Allergies					Clinical Statu	•
Drug Allergies						
		Discontin	nue Prescription		Manage Prescri	ption

Add Prescription/External Medication:

1. Select either Add Prescription or Add External Medication at the bottom of the form

Add Prescription	Add External Medication
------------------	-------------------------

Complete and Save a Medication Reconciliation Form

1. Once you have completely verified and reconciled the client's medication(s), check the "Mark as Completed" button in the upper right-hand corner

	Mark a	s Complete
Reason For Taking	Status	Ę
		^
	Active	
	Activo	

2. Click save and close when finished.

Note: Forms remain active until they are marked as completed.

Open/Edit/Send a Medication Reconciliation Form through Virtual Chart

- 1. Go the EMR section
- 2. Open the Virtual Chart tab
- 3. Right-click on the form
- 4. Select the desired action from the drop-down list:
 - a. Open \rightarrow Opens the form in a read-only view
 - b. Edit → Allows <u>incomplete</u> forms to be edited (complete forms cannot be edited and will open in a read-only view)
 - c. Fax \rightarrow Opens the fax Recipients window to send the form via fax
 - d. Send Task \rightarrow Attaches the form as a PDF to a task
 - e. Send Message \rightarrow Attaches the form as a PDF to a message

di	tions Vi	rtual Cha	art Encounter	Sum s old	mary	Medications Letters Patient Genera Health	Medical H /Forms t Notes ated Letters Mail	istory	Patien Tas Lal Do	nt Info sks bs cume	rmatior nts	Search P	atient Chart All Items	
	Date	r	Created	I.	Туре			SubT	Гуре	Note)		Provider	
	<u>11-Aug</u>	9-2021	11-Aug-2021		Medica	ation Reconci	liation				Open Edit Fax Delete Send N Send T	lessage ïask	Provider Test	

Note: Medication Reconciliation forms attached to a task or message are sent in PDF format, therefore the task recipient must open the form via the Medications tab or Virtual Chart tab to edit it.

Generate a Completed Medication Reconciliation Form Report

- 1. Go to the EMR section
- 2. Open the Medications tab
- 3. Click on the Patient Medication List button
- 4. Select the prescription statuses to be included in the report



- 5. Click Run
- 6. The report can then be printed or saved

<mark></mark>	
	~
A JasperViewer	

Note: This report can only be generated for the most recent completed Medication Reconciliation form.